

Lighting Solutions

Complete suspension systems for all lighting applications




- Aesthetically pleasing
- Easy and efficient installation
 - Complete off-site solutions



All Gripple suspension solutions are manufactured in the United Kingdom, and have been designed to save you time, money and labour by improving the efficiency of the installation process. Unlike traditional methods, Gripple kits require no on-site cutting, filing or hot works, so offer enormous health and safety benefits for your project.

Our products offer a sleek, professional and discreet finish, without compromising on strength; supplied in ready-to-use kits with your choice of end fixing and wire rope length.





Gripple suspension kits provide complete solutions for all lighting applications

The Angel Hanger



Our latest innovation, designed for architectural lighting suspensions where aesthetics are important.

- Simple one-handed operation for easy adjustment
- Contemporary design to complement the overall suspension
- Extensive range for use with most luminaires
- Suitable for loads up to 15 kg with a 5:1 safety factor, to accommodate a range of suspension requirements
- Supplied in convenient, ready-to-use kits in lengths up to 10 metres as standard
- Uses 1.5 mm wire rope to make the suspension as discreet as possible
- As standard, all kits come complete with the aesthetic 'Top Hat Barrel' ceiling fixing with M6 thread. Other ceiling fixings, eg. Loops, Studs, Magnetic Pads are available on request





The latest innovation from Gripple

End Fixings - Page 10

A wide selection of end fixing options to suit your application

Accessories - Page 11

Additional products designed to help with your installation

Squeezelock



Designed for visible lighting applications with a wide variety of connection options available.

- · Complementary, aesthetic design
- Easy, one-handed 'squeeze' adjustment
- Bright, plated finish
- Supplied in ready-to-use kits with a length of wire rope
- Available with a range of connector types
- Extensive ceiling fixing options available to suit most substrates
- Available in lengths up to 10 metres as standard
- Load rated at 15 kg with a 5:1 safety factor



"Gripple Squeezelock kits not only complement the architecture of a building, but are also installed quickly and efficiently"

Terry Whittaker - Contracts Engineer, Weaver's Triangle

Installation System Design Service

Submit your drawings and our technical team will provide bespoke product specification based on your project requirements

Sales Enquiries

Call our friendly team on 0800 018 4264

Standard Hanger Range



Gripple's traditional Standard Hangers present ideal solutions to fulfil a variety of lighting suspension needs.

Up to 6 times faster to install than traditional suspension systems

- Versatile
- Simple to use
- Adjustable using key (provided with kits)
- Strong, safe and industry approved
- Aesthetically discreet and lightweight
- 5:1 safety factor

Supplied as a ready-to-use kit with a length of wire rope and



"The Gripple system is excellent in terms of cleanliness, time saving and safety"

Paul Carey - Site Manager - Kershaw, Woodpecker Hall Primary School

End Fixings - Page 10

A wide selection of end fixing options to suit your application

Accessories - Page 11

Additional products designed to help with your installation

The Express Range



The Express No.1 and No. 2 offer an instant locking system to make adjustment even easier.

- The system incorporates an integral adjustment mechanism for convenience
- Up to 6 times faster to install than traditional methods
- Keyless operation
- Discreet and aesthetic design
- Express No. 1 load rated at 15 kg with a 5:1 safety factor
- Express No. 2 load rated at 45 kg with a 5:1 safety factor
- Supplied as a ready-to-use kit with a length of wire rope and end fixing of your choice







"Gripple kits helped us to complete the job on time, whilst also reducing our embodied carbon"

Jamie - Site Supervisor, Gateway Primary Free School

Installation System Design Service

Submit your drawings and our technical team will provide bespoke product specification based on your project requirements

Sales Enquiries

Call our friendly team on 0800 018 4264

Catenary and C-Clip



Create secure, overhead spans by running high strength wire rope between two fixing points. Ideal for applications where no direct vertical anchor point is available. The Gripple C-Clip, an innovative twist-on/off device, allows you to suspend your light from anywhere along the span.



- Visually discreet and lightweight
- Can be fitted retrospectively
- No tools needed to install
- Available in 3 mm and 6 mm wire rope diameters, for suspensions up to 100 kg per span
- C-Clip allows horizontal and vertical adjustment
- Cams lock solidly in place, even at angles up to 60°
- Ready-to-use kit supplied with a length of wire rope and Gripple hanger







"Gripple Catenary kits were quick to install and offer improved aesthetics"

Albert Wood - Site Supervisor, B&Q, Bedford

End Fixings - Page 10

A wide selection of end fixing options to suit your application

Accessories - Page 11

Additional products designed to help with your installation

Y-Fit and Y-Fit Accessory



Single hanger with dual suspension points, which improves stability and centre of gravity.

- Y-Fit is a one-piece suspension, ideal for shorter drop lengths
- Y-Fit Accessory is designed for use with a Standard Hanger kit, for longer drops and increased adjustment
- Ideal for luminaires
- Available with a range of end fixings, and leg lengths to suit your specification









"Very easy to install"

"Ideal for use with a Gripple Catenary System"

Ian Mallinder - Contractor, Tesco, Leeds

Installation System Design Service

Submit your drawings and our technical team will provide bespoke product specification based on your project requirements

Sales Enquiries

Call our friendly team on 0800 018 4264


End Fixings

All lighting kits are supplied with pre-crimped end fixings and your choice of wire rope length, suitable for installation into any substrate.



Loop


- Ideal for looping around purlins, beams, roof trusses and other suitable building features
- · Available up to 325 kg SWL, with a 5:1 safety factor
- Available in Stainless Steel





Barrel


- Aesthetic fixing for use with any M6 or M8 threaded product
- · Available up to 90 kg SWL, with a 5:1 safety factor





Top Hat


- · Aesthetic end fixing with M6 thread
- · Available up to 45 kg SWL, with a 5:1 safety factor





Snap Hook


- Quick and easy attachment to cable basket, purlin clips, light fittings
- · Available up to 90 kg SWL, with a 5:1 safety factor
- · Available in Stainless Steel





Toggle


- Ideal for profile roof decking, light fittings and other pre-drilled structures
- Combines a plate and end stop to provide a simple fixing method
- A Toggle is an integral part of the wire rope, requiring no further accessories





Stud

- · Ideal for anchoring into concrete ceilings
- Supplied with a Drop-In Anchor
- · Available up to 225 kg SWL, with a 5:1 safety factor
- Available in Stainless Steel



Accessories

To complement the lighting product range.



Wire Cutters

- For use when cutting wire to desired lengths
- Purpose made for use on 4 mm wire max
- Hardened jaws for durability

Product code: CUTTER-GRIPPLE



Tensioning Tool

- For use with 6 mm catenaries
- Tensions wire easily (up to 100 kg)

Product code: CTI-6MM-TOOL



Twister

- · Keeps tail wires neat and tidy
- For use with 2 mm / 3 mm wire
- Aesthetic finish

Product code: TWIST-10BB



T-Bar Twist Clip

- · Attaches to ceiling grid
- For use with M6 Barrel end fixing

Product code: T-BAR-CLIP-M6



Beam and Purlin Clips

- Available in a variety of sizes and models for attachment to beams and purlins
- Contact us for sizing and product code options

Product codes

How to work out your unique product code

1) Choose your kit type: (Input the code in the red area below)



Standard Hanger No.2

HF2











Squeezelock Hook

SQ1-SH



Squeezelock Y-Fit SQ1-YT300

2) Choose your end fixing: (Input the code in the green area below)



Stud M8 x 45 mm



XP1



XP2

Top Hat

Angel

AL1-SF6

II |

B6G



3) Choose your wire length:

(Input the code in the blue area below) Bespoke lengths are available upon request. 1M

2M

ЗМ

4M

5M

10M

4) Enter your unique product code:



For 3 mm Catenary kits use CTI-3MM-XXM, where "XX" is the required length. For 6 mm Catenary kits use CTI-6MM-XXM, where "XX" is the required length.

Both our 3 mm C-Clip and 6 mm C-Clip can be ordered as an end fixing, using CC3 and CC6 alongside a choice of kit respectively.

The Angel and Squeezelock have a variety of connector types not listed above, please call 0800 0184 264 or visit our website www.gripple.com for further details.

www.gripple.com

info@gripple.com

Gripple Ltd (Headquarters)

The Old West Gun Works Savile Street East Sheffield S4 7UQ UK

UK Sales: 0800 018 4264 **Fax:** +44 (0)114 275 1155 **Email:** info@gripple.com

Gripple Europe SARL

1, rue du commerce BP 37 67211 Obernai Cedex France

T | +33 (0)3 88 95 44 95 **F |** +33 (0)3 88 95 08 78 **E |** frinfo@gripple.com

Gripple GmbH

Pariser Ring 1 76532 Baden-Baden Deutschland

T | +49 (0)700 95 44 95 11 **F |** +49 (0)700 95 08 78 11 **E |** deinfo@gripple.com

Gripple Inc

1611 Emily Lane Aurora IL 60502 USA

T | +1 866 474 7753 F | +1 800 654 0689

E usinfo@gripple.com

Gripple s.r.l

Via Ponte Pietra, 2 24123 Bergamo BG Italia

T | +39 (0)35 300 246 **F |** +39 (0)35 424 0036 **E |** itinfo@gripple.com

Gripple Benelux

1, rue du commerce BP37 67211 Obernai Cedex Frankrijk

T | +31 (0)70 363 34 30 **F |** +31 (0)70 362 18 44 **E |** nlinfo@gripple.com

Gripple Industrial Ibérica, S.L.

Ctra. Logroño km 7, 3 Pol. Europa 1 50011 Zaragoza España

T | +34 (0)97 678 32 67 **F** | +34 (0)97 678 32 68 **E** | esinfo@gripple.com

Gripple Portugal

Estrada Nacional 4 Km 46,5 Pontal 2985-201 Pegões Portugal

T | +351 265 898 870 **F** | +351 265 898 879 **E** | ptinfo@gripple.com

Gripple Australia / NZ

Polyplas Pty Ltd, 30 Sydney Rd Bayswater, Victoria 3153 Australia

T | +61 (0)3 9720 0449 **F** | +61 (0)3 9720 0469 **E** | auinfo@gripple.com



1989 - 2014

WE ARE SOCIAL FOLLOW OUR UPDATES















